Clinical Endocrinology

Edited by
A. Colao
J. Fagin
P. Fuller
J. A. Franklyn
P. M. Stewart

Associate Editors
J. S. Bevan
J. Newell-Price
J. Webster

Medical Statisticians
R. L. Holder
M. Kenward

Volume 56
2002

BLACKWELL SCIENCE
OXFORD LONDON EDINBURGH
BOSTON MELBOURNE BERLIN TOKYO VIENNA

Osney Mead, Oxford OX2 0EL
25 John Street, London WC1N 2BL
23 Ainslie Place, Edinburgh EH3 6AJ
Commerce Place, 350 Main Street, Malden, MA 02148-5018, USA
550 Swanston Street, Carlton 3053, Victoria 3053, Australia
Blackwell Verlag, Kurfürstendamm 57, 10707 Berlin, Germany
Blackwell Science KK, MG Kodenmacho Building, 7–10 Kodenmacho Nihombashi, Chuo-ku, Tokyo 104, Japan
Blackwell MZV, Feldgasse 13, A-1228 Wien, Austria

© 2002 Blackwell Science Ltd (a Blackwell Publishing Company). Authorization to photocopy for internal or personal use or the internal or personal use of specific clients is granted by Blackwell Science Ltd for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $15.00 per copy is paid directly to the CCC, 222 Rosewood Drive, Suite 910, Danvers, MA 01923, USA. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed tot he Editor. 0300-0664/02 $15.00.

ISSN 0300-0664

Typeset by Graphicraft Limited, Hong Kong, China and printed in Europe by the Alden Group, Oxford, UK.

Contents

Volume 56, Number 1, January 2002

Review

1 The genetics of male undermasculinization: S. FAISAL AHMED AND IEUAN A. HUGHES

Commentaries

19 Transsphenoidal surgery for Cushing's disease: defining cure and following outcome: J. NEWELL-PRICE (SEE PAGE 25)

23 Amiodarone-induced thyrotoxicosis: a difficult diagnostic and therapeutic challenge: L. BARTALENA, F. BOGAZZI AND E. MARTINO (SEE PAGE 33)

Original articles

25 Undetectable postoperative cortisol does not always predict long-term remission in Cushing's disease: a single centre audit: L. B. YAP, H. E. TURNER, C. B. T. ADAMS AND J. A. H. WASS (FOR COMMENTARY SEE PAGE 19)

33 Clinical experience of amiodarone-induced thyrotoxicosis over a 3-year period: role of colour-flow Doppler sonography: S. E. M. EATON, H. A. EUINTON, C. M. NEWMAN, A. P. WEETMAN AND W. M. BENNET (FOR COMMENTARY SEE PAGE 23)

39 Electrophysiological abnormalities of the atrial muscle in patients with paroxysmal atrial fibrillation associated with hyperthyroidism: N. KOMIYA, S. ISOMOTO, K. NAKAO, M. HAYANO AND K. YANO

45 Autoimmune thyroid disease susceptibility loci in a large Chinese family: R. VILLANUEVA, Y. TOMER, D. A. GREENBERG, C. MAO, E. S. CONCEPCION, S. TUCCI, G. ESTILO AND T. F. DAVIES

53 Multigenerational familial medullary thyroid cancer (FMTC): evidence for FMTC phenocopies and association with papillary thyroid cancer: L. FUGAZZOLA, N. CERUTTI, D. MANNAVOLA, G. GHILARDI, L. ALBERTI, R. ROMOLI AND P. BECK-PECCOZ

65 Long-term effects of lanreotide SR and octreotide LAR® on tumour shrinkage and GH hypersecretion in patients with previously untreated acromegaly: G. AMATO, G. MAZZIOTTI, M. ROTONDI, S. IORIO, M. DOGA, F. SORVILLO, G. MANGANELLA, F. DI SALLE, A. GIUSTINA AND C. CARELLA

73 Men with acromegaly need higher doses of octreotide than women: B. E. ENGSTRÖM, P. BURMAN AND F. A. KARLSSON

79 Pulsatile, nyctohemeral and entropic characteristics of GH secretion in adult GH-deficient patients: selectively decreased pulsatile release and increased secretory disorderliness with preservation of diurnal timing and gender distinctions: F. ROELFSEMA, N. R. BIERMASZ AND J. D. VELDHUIS

89 Physical activity or food intake prior to testing did not affect the reproducibility of GH secretion elicited by GH releasing hormone plus GH-releasing hexapeptide in normal adult subjects: V. POPOVIC, S. PEKIC, M. SIMIC, S. DAMJANOVIC, D. MICIC, C. DIEGUEZ AND F. F. CASANUEVA

95 Metastatic tumours of the adrenal glands: a 30-year experience in a teaching hospital: K.-Y. LAM AND C.-Y. LO

103 Leydig cell hypoplasia: cases with new mutations, new polymorphisms and cases without mutations in the luteinizing hormone receptor gene: A. RICHTER-UNRUH, J. W. M. MARTENS, M. VERHOEF-POST, H. T. WESSELS, W. A. KORS, G. H. G. SINNECKER, A. BOEHMER, S. L. S. DROP, S. P. A. TOLEDO, H. G. BRUNNER AND A. P. N. THEMMEN

113 Allelic loss in clinically and screening-detected primary hyperparathyroidism: P. CORREA, C. JUHLIN, J. RASTAD, G. ÅKERSTRÖM, G. WESTIN AND T. CARLING

119 Study of diurnal fluctuations of plasma methoxyamines in healthy volunteers: G. HOIZEY, C. LUKAS-CROISIER, C. FRANCES, H. GRULET, B. DELEMER, H. MILLART, P. DEVILLIER AND J. CARON

Case report

123 Isolated pituitary granuloma by atypical *Mycobacterium* in a nonimmunosuppressed woman: D. FLORAKIS, G. KONTOGEORGOS, M. ANAPLIOTOU, N. MAZARAKIS, E. RICHTER, W. BRÜCK AND G. PIADITIS

127 **Erratum**

Author's Declaration

Instructions for Authors

Volume 56, Number 2, February 2002

Review

129 Management and outcome of central precocious puberty: C.-J. PARTSCH, S. HEGER AND W. G. SIPPELL

Commentaries

149 Assessment of selective arterial calcium stimulating and hepatic venous sampling to localize insulin-secreting tumours: M. B. MATSON AND R. H. REZNEK

151 Hyperkalaemia and selective hypoaldosteronism in myotonic dystrophy: T. OLSSON (SEE PAGE 271)

Original articles

153 Severe impairment of bone mass and turnover in Cushing's disease: comparison between childhood-onset and adulthood-onset disease: C. DI SOMMA, R. PIVONELLO, S. LOCHE, A. FAGGIANO, P. MARZULLO, A. DI SARNO, M. KLAIN, M. SALVATORE, G. LOMBARDI AND A. COLAO

159 Fracture risk is increased in patients with GH deficiency or untreated prolactinomas – a case-control study: P. VESTERGAARD, J. O. L. JØRGENSEN, C. HAGEN, H. C. HOECK, P. LAURBERG, L. REJNMARK, K. BRIXEN, J. WEEKE, M. ANDERSEN, F. L. CONCEICAO, T. L. NIELSEN AND L. MOSEKILDE

169 Spinal irradiation impairs the osteo-anabolic effects of low-dose GH replacement in adults with childhood-onset GH deficiency: R. D. MURRAY, J. E. ADAMS, L. E. SMETHURST AND S. M. SHALET

175 Elderly people with hypothalamic-pituitary disease and untreated GH deficiency: clinical outcome, body composition, lipid profiles and quality of life after 2 years compared to controls: J. S. W. LI VOON CHONG, T. GROVES, P. FOY, M. E. WALLYMAHMED AND I. A. MACFARLANE

183 High incidence of mental disorders, reduced mental well-being and cognitive function in hypopituitary women with GH deficiency treated for pituitary disease: B. BÜLOW, L. HAGMAR, P. ØRBÆK, K. ÖSTERBERG AND E. M. ERFURTH

195 Effects of low-dose oral hydrocortisone replacement versus short-term reproduction of physiological serum cortisol concentrations on insulin action in adult-onset hypopituitarism: E. M. MCCONNELL, P. M. BELL, C. ENNIS, D. R. HADDEN, D. R. MCCANCE, B. SHERIDAN AND A. B. ATKINSON

203 Weight loss increases circulating levels of ghrelin in human obesity: T. K. HANSEN, R. DALL, H. HOSODA, M. KOJIMA, K. KANGAWA, J. S. CHRISTIANSEN AND J. O. L. JØRGENSEN

207 The corticotrophin-releasing hormone test in preterm infants : R. J. BOLT, M. M. VAN WEISSENBRUCH, A. CRANENDONK, H. N. LAFEBER AND H. A. DELEMARRE-VAN DE WAAL

215 Inhibin B in boys from birth to adulthood: relationship with age, pubertal stage, FSH and testosterone: P. M. CROFTON, A. E. M. EVANS, N. P. GROOME, M. R. H. TAYLOR, C. V. HOLLAND AND C. J. H. KELNAR

223 Dimeric inhibins in girls from birth to adulthood: relationship with age, pubertal stage, FSH and oestradiol: P. M. CROFTON, A. E. M. EVANS, N. P. GROOME, M. R. H. TAYLOR, C. V. HOLLAND AND C. J. H. KELNAR

231 Complete virilization in congenital adrenal hyperplasia: clinical course, medical management and disease-related complications: J. WOELFLE, W. HOEPFFNER, W. G. SIPPELL, J. H. BRÄMSWIG, P. HEIDEMANN, D. DEIß, A. BÖKENKAMP, C. ROTH, U. IRLE, H. A. WOLLMANN, M. ZACHMANN, K. KUBINI AND N. ALBERS

239 Classical and nonclassical 21-hydroxylase deficiency: a molecular study of Argentine patients: L. B. DAIN, N. D. BUZZALINO, A. ONETO, S. BELLI, M. STIVEL, T. PASQUALINI, C. MINUTOLO, E. H. CHARREAU AND L. G. ALBA

247 The use of recombinant human TSH in the follow-up of differentiated thyroid cancer: experience from a large patient cohort in a single centre: V. GIOVANNI, L. G. ARIANNA, C. ANTONIO, F. FRANCESCO, K. MICHELE, S. GIOVANNI, S. MARCO AND L. GIOVANNI

253 Normalized dyslipidaemia after parathyroidectomy in mild primary hyperparathyroidism: population-based study over five years: E. HAGSTRÖM, E. LUNDGREN, H. LITHELL, L. BERGLUND, S. LJUNGHALL, P. HELLMAN AND J. RASTAD

261 Genetic and clinical characterization of sporadic cystic parathyroid tumours: A. VILLABLANCA, F. FARNEBO, B. T. TEH, L.-O. FARNEBO, A. HÖÖG AND C. LARSSON

Case report

271 Hyperkalaemia and selective hypoaldosteronism in myotonic dystrophy: D. MISRA, S. DESILVA, H. FELLERMAN, D. R. DUFOUR, D. H. P. STREETEN AND E. S. NYLEN (FOR COMMENTARY SEE PAGE 151)

277 **Book reviews**

279 **Erratum**

Author's Declaration

Instructions for Authors

Volume 56, Number 3, March 2002

Review

281 Towards improving the utility of fine-needle aspiration biopsy for the diagnosis of thyroid tumours: B. R. HAUGEN, W. W. WOODMANSEE AND M. T. McDERMOTT

Commentaries

291 Oestrogen, bones and men: when testosterone just isn't enough: S. KHOSLA

295 Height prognosis in girls with central precocious puberty treated with GnRH analogues: C. J. H. KELNAR AND R. STANHOPE (SEE PAGE 297)

Original articles

297 Factors predicting adult height in girls with idiopathic central precocious puberty: implications for treatment: L. ADAN, W. CHEMAITILLY, C. TRIVIN AND R. BRAUNER (FOR COMMENTARY SEE PAGE 295)

303 Serum lipoprotein changes following IGF-1 normalization using a growth hormone receptor antagonist in acromegaly: C. PARKINSON, W. M. DRAKE, G. WIERINGA, A. P. YATES, G. M. BESSER AND P. J. TRAINER

313 Postoperative persistent thyrotrophin releasing hormone-induced growth hormone release predicts recurrence in patients with acromegaly: N. R. BIERMASZ, J. W. A. SMIT, H. VAN DULKEN AND F. ROELFSEMA

321 Relationships of urinary phyto-oestrogen excretion to BMD in postmenopausal women: M. K. KIM, B. C. CHUNG, V. Y. YU, J. H. NAM, H. C. LEE, K. B. HUH AND S. K. LIM

329 Growth hormone release after glucagon as a reliable test of growth hormone assessment in adults: J. M. GÓMEZ, R. M. ESPADERO, F. ESCOBAR-JIMÉNEZ, F. HAWKINS, A. PICÓ, J. L. HERRERA-POMBO, E. VILARDELL, A. DURÁN, J. MESA, E. FAURE AND A. SANMARTÍ

335 Elevation of soluble E-selectin levels following gestational diabetes is restricted to women with persistent abnormalities of glucose regulation: N. J. LAWRENCE, E. KOUSTA, A. PENNY, B. MILLAUER, S. ROBINSON, D. G. JOHNSTON AND M. I. McCARTHY

341 Mechanisms of aneuploidy in thyroid cancer cell lines and tissues: evidence for mitotic checkpoint dysfunction without mutations in *BUB1* and *BUBR1*: B. OUYANG, J. A. KNAUF, K. AIN, B. NACEV AND J. A. FAGIN

351 Ventilation threshold as a measure of impaired physical performance in adults with growth hormone excess: S. G. THOMAS, L. J. WOODHOUSE, S. M. PAGURA AND S. EZZAT

359 Poor uterine development in Turner syndrome with oral oestrogen therapy: W. F. PATERSON, A. S. HOLLMAN AND M. D. C. DONALDSON

367 Mutations linked to familial hypokalaemic periodic paralysis in the calcium channel α1 subunit gene ($Ca_v1{\cdot}1$) are not associated with thyrotoxic hypokalaemic periodic paralysis: M. R. DIAS DA SILVA, J. M. CERUTTI, C. H. TENGAN, G. K. FURUZAWA, T. C. A. VIEIRA , A. A. GABBAI AND R. M. B. MACIEL

377 Long-term follow-up of patients with bone metastases from differentiated thyroid carcinoma – surgery or conventional therapy?: G. ZETTINIG, B. J. FUEGER, C. PASSLER, K. KASERER, C. PIRICH, R. DUDCZAK AND B. NIEDERLE

383 The relationship between insulin secretion, the insulin-like growth factor axis and growth in children with cystic fibrosis: P. RIPA, I. ROBERTSON, D. COWLEY, M. HARRIS, I. BRENT MASTERS AND A. COTTERILL

391 Indirect evidence for decreased hypothalamic somatostatinergic tone in anorexia nervosa: R. K. STØVING, M. ANDERSEN, A. FLYVBJERG, J. FRYSTYK, J. HANGAARD, J. VINTEN, O. G. KOLDKJÆR AND C. HAGEN

397 Galanin in human pituitary adenomas: frequency and clinical significance: B. LEUNG, T. P. IISMAA, K.-C. LEUNG, Y. J. HORT, J. TURNER, J. P. SHEEHY AND K. K. Y. HO

405 Demonstration of anti-TSH antibody in TSH binding inhibitory immunoglobulin-positive sera of patients with Graves' disease: Y. OCHI, M. HAMAZU, Y. KAJITA AND A. NAGATA

Case report

413 Severe hypomagnesaemia-induced hypocalcaemia in a patient with Gitelman's syndrome: P. PANTANETTI, G. ARNALDI, G. BALERCIA, F. MANTERO AND G. GIACCHETTI

419 **Letters to the Editors**

421 **Announcement**

Author's Declaration

Instructions for Authors

Volume 56, Number 4, April 2002

Commentaries

423 A giant's step forward: P. J. TRAINER

427 The sodium iodide symporter and thyroid disease: P. P. A. SMYTH AND R. M. DWYER

Original articles

431 Effects of GH replacement on 24-h ambulatory blood pressure and its circadian rhythm in adult GH deficiency: A. M. AHMAD, M. T. HOPKINS, P. J. WESTON, W. D. FRASER AND J. P. VORA

439 Skin fibroblasts of children with idiopathic short stature show an increased mitogenic response to IGF-I and secrete more IGFBP-3: G. A. KAMP, D. M. OUWENS, C. M. HOOGERBRUGGE, A. H. ZWINDERMAN, J. A. MAASSEN AND J. M. WIT

449 Effects of GH on lipid peroxidation and neutrophil superoxide anion-generating capacity in hypopituitary adults with GH deficiency: J. C. SMITH, D. LANG, J. MCENENY, L. M. EVANS, M. F. SCANLON, I. YOUNG AND J. S. DAVIES

457 Genetic analysis of the *MEN1* gene and *HPRT2* locus in two Italian kindreds with familial isolated hyperparathyroidism: F. CETANI, E. PARDI, A. GIOVANNETTI, E. VIGNALI, S. BORSARI, F. GOLIA, L. CIANFEROTTI, P. VIACAVA, P. MICCOLI, M. GASPERI, A. PINCHERA AND C. MARCOCCI

465 Mutational analysis of Portuguese families with multiple endocrine neoplasia type 1 reveals large germline deletions: B. M. CAVACO, R. DOMINGUES, M. C. BACELAR, H. CARDOSO, L. BARROS, L. GOMES, M. M. A. RUAS, A. AGAPITO, A. GARRÃO, A. A. J. PANNETT, J. L. SILVA, L. G. SOBRINHO, R. V. THAKKER AND V. LEITE

475 A novel bioassay for human somatogenic activity in serum samples supports the clinical reliability of immunoassays: J. E. ROWLAND, N. J. MARSHALL, K.-C. LEUNG, K. K. Y. HO, A. M. COTTERILL, S. W. ROWLINSON AND M. J. WATERS

487 Effect of withdrawal of somatostatin plus GH-releasing hormone as a stimulus of GH-secretion in obesity: P. ALVAREZ, L. ISIDRO, A. LEAL-CERRO, F. F. CASANUEVA, C. DIEGUEZ AND F. CORDIDO

493 Effects of GH replacement on endothelial function and large-artery stiffness in GH deficient adults: a randomized, double-blind, placebo-controlled study: J. C. SMITH, L. M. EVANS, I. WILKINSON, J. GOODFELLOW, J. R. COCKCROFT, M. F. SCANLON AND J. S. DAVIES

503 Confirmation of severe GH deficiency after final height in patients diagnosed as GH deficient during childhood: A. F. ATTANASIO, S. HOWELL, P. C. BATES, W. F. BLUM, P. FREWER, C. QUIGLEY AND S. M. SHALET

509 FSH and ovarian response: spontaneous recovery of pituitary–ovarian activity during the pill-free period *vs.* exogenous recombinant FSH during high-dose combined oral contraceptives: A. M. VAN HEUSDEN, H. J. T. COELINGH BENNINK AND B. C. J. M. FAUSER

519 Reduced capillary permeability and capillary density in the skin of GH-deficient adults: improvement after 12 months GH replacement: P. H. N. OOMEN, J. A. M. BEENTJES, E. BOSMA, A. J. SMIT, W. D. REITSMA AND R. P. F. DULLAART

525 Low-dose GH replacement improves the adverse lipid profile associated with the adult GH deficiency syndrome: R. D. MURRAY, G. E. WIERINGA, C. A. LISSETT, K. H. DARZY, L. E. SMETHURST AND S. M. SHALET

533 The low-dose ACTH test does not provide a useful assessment of the hypothalamic–pituitary–adrenal axis in secondary adrenal insufficiency: A. M. SULIMAN, T. P. SMITH, M. LABIB, T. M. FIAD AND T. J. MCKENNA

541 Long-term follow-up results of transsphenoidal surgery for Cushing's disease in a single centre using strict criteria for remission: D. A. REES, F. W. F. HANNA, J. S. DAVIES, R. G. MILLS, J. VAFIDIS AND M. F. SCANLON

Case report

553 Anaplastic pseudothyroiditis: S. BASARIA, R. UDELSMAN, J. TEJEDOR-SOJO, W. H. WESTRA AND A. S. KRASNER

Endocrine audit

557 Radio-frequency ablation for symptom control in a patient with metastatic pancreatic insulinoma: A. SCOTT, D. HINWOOD AND R. DONNELLY

561 **Letters to the Editors**

563 **Erratum**

Author's Declaration

Instructions for Authors

Volume 56, Number 5, May 2002

Review

565 Combination therapy for postmenopausal osteoporosis: J. E. COMPSTON AND N. B. WATTS

Commentaries

571 Pseudohypoaldosteronism: kidney, lungs and colon: P. J. FULLER AND F. M. ROGERSON (SEE PAGE 575)

573 Quality of life in Addison's disease – the case for DHEA replacement: W. ARLT (SEE PAGE 581)

Original articles

575 Erythrocyte Na^+, K^+-ATPase and nasal potential in pseudohypoaldosteronism: T. BISTRITZER, E. KEREM, M. BERKOVITCH, M. J. RAPOPORT, S. EVANS AND M. ALADJEM (FOR COMMENTARY SEE PAGE 571)

581 Subjective health status in Norwegian patients with Addison's disease: K. LØVÅS, J. HÅVARD LOGE AND E. S. HUSEBYE (FOR COMMENTARY SEE PAGE 573)

589 Increased menin expression in sporadic pituitary adenomas: C. WROCKLAGE, H. GOLD, W. HACKL, M. BUCHFELDER, R. FAHLBUSCH AND W. PAULUS

595 Acromegaly: evidence for a direct relation between disease activity and cardiac dysfunction in patients without ventricular hypertrophy: B. L. HERRMANN, C. BRUCH, B. SALLER, T. BARTEL, S. FERDIN, S. ERBEL AND K. MANN

603 Use of GnRH agonist and human chorionic gonadotrophin tests for differentiating constitutional delayed puberty from gonadotrophin deficiency in boys: A. KAUSCHANSKY, Z. DICKERMAN, M. PHILLIP, N. WEINTROB AND D. STRICH

609 Somatostatin receptor 2 expression in the human endometrium through the menstrual cycle: V. L. GREEN, I. RICHMOND, S. MAGUINESS, J. ROBINSON, L. HELBOE, I. P. ADAMS, N. S. DRUMMOND AND S. L. ATKIN

615 The effects of hormone replacement therapy on endothelial function in women with Turner's syndrome: N. N. CHAN, P. VALLANCE, H. M. COLHOUN, R. J. MACALLISTER, A. D. HINGORANI AND G. S. CONWAY

621 The quantity of thyroid hormone in human milk is too low to influence plasma thyroid hormone levels in the very preterm infant: A. G. VAN WASSENAER, M. R. STULP, F. VALIANPOUR, P. TAMMINGA, C. R. STALPERS, J. S. E. DE RANDAMIE, C. VAN BEUSEKOM AND J. J. M. DE VIJLDER

629 The neuro-cardio-endocrine response to acute subarachnoid haemorrhage: E. A. ESPINER, R. LEIKIS, R. D. FERCH, M. R. MACFARLANE, J. A. BONKOWSKI, C. M. FRAMPTON AND A. M. RICHARDS

637 Interpersonal testosterone transfer after topical application of a newly developed testosterone gel preparation: C. ROLF, U. KNIE, G. LEMMNITZ AND E. NIESCHLAG

643 The GH-releasing effect of ghrelin, a natural GH secretagogue, is only blunted by the infusion of exogenous somatostatin in humans: L. DI VITO, F. BROGLIO, A. BENSO, C. GOTTERO, F. PRODAM, M. PAPOTTI, G. MUCCIOLI, C. DIEGUEZ, F. F. CASANUEVA, R. DEGHENGHI, E. GHIGO AND E. ARVAT

649 CTLA-4 gene A–G polymorphism and childhood Graves' disease: E. YUNG, P. S. CHENG, T. F. FOK AND G. W. K. WONG

655 The combined administration of GH-releasing peptide-2 (GHRP-2), TRH and GnRH to men with prolonged critical illness evokes superior endocrine and metabolic effects compared to treatment with GHRP-2 alone: G. VAN DEN BERGHE, R. C. BAXTER, F. WEEKERS, P. WOUTERS, C. Y. BOWERS, A. IRANMANESH, J. D. VELDHUIS AND R. BOUILLON

Case report

671 Trisomy of the short stature homeobox-containing gene (*SHOX*), resulting from a duplication-deletion of the *X* chromosome: K. A. ADAMSON, I. CROSS, J. A. BATCH, G. A. RAPPOLD, I. A. GLASS AND S. G. BALL

Author's Declaration

Instructions for Authors

Volume 56, Number 6, June 2002

Review

677 Clinical use of GnRH analogues: L. A. KIESEL, A. RODY, R. R. GREB AND A. SZILÁGYI

Commentary

689 Orbital irradiation for thyroid-associated orbitopathy: conventional dose, low dose or no dose?: P. PERROS AND G. E. KRASSAS

Original articles

693 Isoflavone supplementation and endothelial function in menopausal women: G. HALE, M. PAUL-LABRADOR, J. H. DWYER AND C. N. BAIREY MERZ

703 Prospective 10-year study of the determinants of bone density and bone loss in normal postmenopausal women, including the effect of hormone replacement therapy: F. WU, R. AMES, J. CLEARWATER, M. C. EVANS, G. GAMBLE AND I. R. REID

713 ^{99m}Technetium pentavalent dimercaptosuccinic acid scintigraphy in the follow-up of clinically nonfunctioning pituitary adenomas after radiotherapy: A. COLAO, D. FERONE, G. LOMBARDI AND S. LASTORIA

723 What is the role of the insulin-like growth factor system in the pathophysiology of cancer cachexia, and how is it regulated?: A. L. CROWN, K. COTTLE, S. L. LIGHTMAN, S. FALK, V. MOHAMED-ALI, L. ARMSTRONG, A. B. MILLAR AND J. M. P. HOLLY

735 Dysregulation of iodothyronine deiodinase enzyme expression and function in human pituitary tumours: L. A. TANNAHILL, T. J. VISSER, C. J. MCCABE, S. KACHILELE, K. BOELAERT, M. C. SHEPPARD, J. A. FRANKLYN AND N. J. L. GITTOES

745 Oestrogen supplementation attenuates responses to psychological stress in elderly men rendered hypogonadal after treatment for prostate cancer: P. A. KOMESAROFF, M. FULLERTON, M. D. ESLER, G. JENNINGS AND K. SUDHIR

755 Testicular dose and fertility in men following I^{131} therapy for thyroid cancer: S. HYER, L. VINI, M. O'CONNELL, B. PRATT AND C. HARMER

759 Sympathetic nerve hyperactivity is associated with increased peripheral vascular resistance in hypopituitary patients with growth hormone deficiency: E. M. SCOTT, J. P GREENWOOD, J. B. STOKER, D. A. S. G. MARY AND S. G. GILBEY

765 Endocrine responses to ghrelin in adult patients with isolated childhood-onset growth hormone deficiency: G. AIMARETTI, C. BAFFONI, F. BROGLIO, J. A. M. JANSSEN, G. CORNELI, R. DEGHENGHI, A. J. VAN DER LELY, E. GHIGO AND E. ARVAT

773 Preliminary evidence that an endogenous retroviral long-terminal repeat (LTR13) at the HLA-DQB1 gene locus confers susceptibility to Addison's disease: M. A. PANI, C. SEIDL, K. BIEDA, J. SEISSLER, M. KRAUSE, E. SEIFRIED, K.-H. USADEL AND K. BADENHOOP

779 Long-term effects of androgen deprivation therapy in prostate cancer patients: S. BASARIA, J. LIEB II, A. M. TANG, T. DEWEESE, M. CARDUCCI, M. EISENBERGER AND A. S. DOBS

787 High prevalence and increasing incidence of Addison's disease in western Norway: K. LØVÅS AND E. S. HUSEBYE

793 Thyrotoxicosis induced by alpha-interferon therapy in chronic viral hepatitis: V. WONG, A. X.-L. FU, J. GEORGE AND N. W. CHEUNG

799 Changes in adiposity and excess body weight correlate with growth responses but not with decreases in low-density lipoprotein cholesterol levels during GH treatment in GH-deficient children: R. KUROMARU, H. KOHNO AND T. HARA

805 Polysomnographic findings in five adult patients with pituitary insufficiency before and after cessation of human growth hormone replacement therapy: W. NOLTE, C. RÄDISCH, A. RODENBECK, J. WILTFANG AND M. HÜFNER

811 Increased prevalence of heterozygous 21-OH germline mutations in patients with adrenal incidentalomas: S. M. BAUMGARTNER-PARZER, S. PAUSCHENWEIN, W. WALDHÄUSL, K. PÖLZLER, P. NOWOTNY AND H. VIERHAPPER

Case report

817 Pituitary tumours are multiclonal from the outset: evidence from a case with dural metastases: H. BUCH, T. EL-HADD, J. BICKNELL, D. J. SIMPSON, W. E. FARRELL AND R. N. CLAYTON

823 **Letter to the Editor**

825 **Erratum**

827 **Referees**

829 **Author Index**

839 **Subject Index**

Author's Declaration

Instructions for Authors